

Material Safety Data Sheet

PRODUCT NAME

PMC-5

PAGE

(1 / 9)

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identity (Trade Name As Used On Label); PMC-5

Recommended use of the chemical and restrictions on use; Cleaner

Manufacturer Name /Address;

NAMBANG CNA CO., LTD. / 204, Chupal Sandan 1-gil, Paengseong-eup, Pyeongtaek-si, GyeongGi-do,
451-805 KOREA

TEL : 82 31 651 5911~8 FAX : 82 31 691 6441 / 82 31 658 6441

SECTION 2. HAZARD IDENTIFICATION

Hazard Class

Hazard Class	Hazard category
Flammable aerosols	1
Flammable gases	1
Gases under pressure	Liquefied gas
Flammable liquids	2
Acute toxicity-Inhalation(vapour)	4
Skin corrosion/irritation	2
Serious eye damage/eye irritation	2
Toxic to reproduction	2
Specific target organ toxicity(Single exposure)	3(Respiratory tract irritation, Narcotic effects)
Specific target organ toxicity(Repeated exposure)	1
Aspiration hazard	1

GHS label elements, including precautionary statements

Category	Indication
Symbol	
Signal word	Danger
Hazard statement	H222 Extremely flammable aerosol. H229 Pressurized container: may burst if heated. H220 Extremely flammable gas.

PRODUCT NAME	PAGE
PMC-5	(2 / 9)

		H280 Contains gas under pressure; may explode if heated. H225 Highly flammable liquid and vapour. H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H372 Causes damage to organs <...> through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways.
Precautionary statements	Prevention	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P233 Keep container tightly closed. P240 Ground/Bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/.../equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash ... thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection.
	Response	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P302+P352 IF ON SKIN: Wash with plenty water/... P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTER/doctor/.../if you feel unwell. P314 Get medical advice/attention if you feel unwell. P321 Specific treatment (see ... on this label) P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use ... to extinguish. P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 Eliminate all ignition sources if safe to do so.
	Storage	P403+P233 Store in a well-ventilated place. Keep container tightly closed.

PRODUCT NAME	PAGE
PMC-5	(3 / 9)

		P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
	Disposal	P501 Dispose of contents/container to... in accordance with local/regional/national/international regulations (to be specified).

Other hazards which do not result in classification

Ingredients \ NFPA Rating	Health	Flammability	Reactivity
2-methylpentane	1	3	0
3-methylpentane	1	3	0
n-hexane	2	3	0
cyclo-pentane	2	3	0
Acetone	1	3	0
Ethyl alcohol	0	3	0
Propane	1	4	0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	OTHER NAME	CAS NUMBER	Content (%)
2-methylpentane	–	107-83-5	20~30
3-methylpentane	–	96-14-0	5~15
n-hexane	–	110-54-3	1~2
Cyclo-pentane	–	287-92-3	10~20
Acetone	–	67-64-1	5~15
Ethyl alcohol	–	64-17-5	10~20
Propane	–	74-98-6	20~30

SECTION 4. FIRST AID PROCEDURES

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Skin contact: In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Call a physician.

PRODUCT NAME	PAGE
PMC-5	(4 / 9)

Inhalation; Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion; If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Indication of immediate medical attention and notes for physician; No information found

SECTION 5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media; Use water spray to keep fire exposed containers cool. If substance does ignite, use CO₂, dry chemical or foam.

Specific hazards arising from the chemical (e.g. nature of any hazardous combustion products); No information found

Special protective equipment and precautions for fire fighters ; In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face-piece operated in the pressure demand or other positive pressure mode. Combustion by-products include phosgene and hydrogen chloride gases. Structural firefighters' clothing provides only limited protection to the combustion products of this material.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures; No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions and protective procedures; Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up;

– **Large Spills:** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated

PRODUCT NAME	PAGE
PMC-5	(5 / 9)

absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

– **Small Spills:** No information found

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling; Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage (including any incompatibilities); Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters (e.g. occupational exposure limit values, biological limit values);

3-methylpentane : TWA 500 ppm, STEL 1,000 ppm

Acetone : TWA 500 ppm, STEL 750 ppm

Ethyl alcohol : TWA 1000 ppm

Appropriate engineering controls; A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal protective equipment;

PRODUCT NAME	PAGE
PMC-5	(6 / 9)

- **Eye / face protection;** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Recommended: splash goggles
- **Skin protection;** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Recommended: safety apron
- **Respiratory protection;** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance; Clear

Odor; Solvent odor

Odour threshold; No information found

Ph; No information found

Melting point/freezing point; No information found

Initial boiling point and boiling range; Liquid; >50 °C

Flash point; –105 °C (Propane) / Liquid; >–29 °C

Evaporation rate; No information found

Flammability (solid, gas); No information found

Upper/lower flammability or explosive limits; n-Hexane 7.5 / 1.1 %

Vapour pressure; No information found

Vapour density; No information found

Specific Gravity (H₂O = 1); 0.70 ± 0.05

Relative density; No information found

Solubility(ies); Insoluble

Partition coefficient; n-octanol/water; n-Hexane; 3.9

Auto-ignition temperature; n-Hexane; 225 °C

Decomposition temperature; No information found

Viscosity; No information found

Molecular Weight; No information found

PRODUCT NAME	PAGE
PMC-5	(7 / 9)

SECTION 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions; Stable under ordinary conditions of use and storage

Conditions to avoid (e.g. static discharge, shock or vibration, etc); Heat, flames and sparks. Incompatible materials.

Incompatibility (Materials to Avoid); Strong oxidizing agents.

Hazardous Decomposition Products; carbon oxide

SECTION 11. TOXICOLOGICAL INFORMATION

– Ethyl alcohol –

Information on the likely routes of exposure; No information found

Acute toxicity

– Oral; LD50 6200 mg/kg Rat

– Dermal; No information found

– Inhalation; LC50 20000 ppm 10 hr Rat

Skin corrosion/irritation; No information found

Serious eye damage/irritation; No information found

Respiratory or skin sensitization; No information found

Germ cell mutagenicity; No information found

Carcinogenicity; No information found

Reproductive toxicity; No information found

Specific target organ toxicity (single exposure); No information found

Specific target organ toxicity (repeated exposure); No information found

Aspiration hazard; No information found

– Propane –

Information on the likely routes of exposure; No information found

Acute toxicity

– Oral; No information found

– Dermal; No information found

– Inhalation; LD50 570000 ppm /15min (rat)

Skin corrosion/irritation; No information found

Serious eye damage/irritation; No information found

Respiratory or skin sensitization; No information found

PRODUCT NAME	PAGE
PMC-5	(8 / 9)

Germ cell mutagenicity; No information found

Carcinogenicity; No information found

Reproductive toxicity; No information found

Specific target organ toxicity (single exposure); No information found

Specific target organ toxicity (repeated exposure); No information found

Aspiration hazard; No information found

SECTION 12. ECOLOGICAL INFORMATION

Aquatic and terrestrial ecotoxicity; No information found

Persistence and degradability; No information found

Bioaccumulative potential; No information found

Mobility in soil; No information found

Other adverse effects; No information found

SECTION 13. DISPOSAL CONSIDERATION

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14. TRANSPORT INFORMATION

Proper Shipping Name; Aerosols

Class No 2.1

UN-NUMBER; 1950

SECTION 15. REGULATORY INFORMATION

Follow all regulation in your country

SECTION 16. OTHER INFORMATION

Issuing date; 2006.12.26

PRODUCT NAME	PAGE
PMC-5	(9 / 9)

Revision number and date; 2016.10.19

Others; This information has been faithfully prepared on the basis of various knowledge and information and is not to guarantee the quality of this product. Also, this information can be changed without prior notice in accordance with introduction of new knowledge and test results, etc. For inquiries, please contact us or the place of product purchase.